

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad<"20000828" and (decoder same ( "signal to noise ratio" or SNR)) and 375/237-239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:37
L2	138	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( (signal to noise ratio) or SNR) and 375/240-353.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:39
L3	0	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( (signal to noise ratio) or SNR) and 375/240.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:40
L4	4	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( (signal to noise ratio) or SNR) and 375/243-245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:43
L5	0	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( "signal to noise ratio" or SNR) and 375/243-245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:44
L6	0	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( "signal to noise ratio" or SNR or BER or "bit error rate") and 375/243-245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:45
L7	40	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( "signal to noise ratio" or SNR or BER or "bit error rate") and 375/265-353.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:47
L8	5	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( "signal to noise ratio" or SNR or BER or "bit error rate") and 375/265.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:49
L9	14	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( "signal to noise ratio" or SNR or BER or "bit error rate") and 375/341.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:51

L10	0	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( "signal to noise ratio" or SNR or BER or "bit error rate") and 375/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 11:08
L11	0	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( "signal to noise ratio" or SNR or BER or "bit error rate") and 375/353.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 11:08
S1	2	("6081565").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:52
S2	2	("6047035").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:52
S3	915	@ad<"20000828" and decoder and truncat\$3 and normaliz\$5 and ( (signal to noise ratio) or SNR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:38
S4	809	@ad<"20000828" and decoder and (truncat\$3 same ( (signal to noise ratio)) or SNR) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:41
S5	693	@ad<"20000828" and decoder and (truncat\$3 with ( (signal to noise ratio)) or SNR) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:26
S6	693	@ad<"20000828" and decoder and (truncat\$3 with ( (signal to noise ratio)) or SNR) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:27
S7	49	@ad<"20000828" and (channel adj decoder) and (truncat\$3 with ( (signal to noise ratio)) or SNR) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:31
S8	0	@ad<"20000828" and (channel adj decoder) and (truncat\$3 with ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:32

S9	1	@ad<"20000828" and decoder and (truncat\$3 with ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:34
S10	66	@ad<"20000828" and decoder and ((truncat\$3 or boundar\$3 or range) with ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:28
S11	2	@ad<"20000828" and decoder and ((truncat\$3 or boundar\$3) with ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 08:54
S12	2	@ad<"20000828" and decoder and ((truncat\$3 or boundar\$3 or (range with limit)) with ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:40
S13	8	@ad<"20000828" and decoder and (truncat\$3 same ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:53
S14	92	@ad<"20000828" and decoder and (quantit\$6 same ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 17:55
S15	43	@ad<"20000828" and decoder and (quantit\$6 with ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 18:43
S16	2	("5185800").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 18:40
S17	10	@ad<"20000828" and decoder and (quantit\$6 with (BER or "bit error rate")) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 18:43
S18	188	@ad<"20000828" and (decoder with ( "signal to noise ratio" or SNR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:47

S19	48	@ad<"20000828" and (decoder with ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:01
S20	3	@ad<"20000828" and (decoder with ( "signal to noise ratio" or SNR)) and normalizer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 19:01
S21	16	@ad<"20000828" and decoder and ((truncat\$3 or boundar\$3) same ( "signal to noise ratio" or SNR)) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:02
S22	25	@ad<"20000828" and decoder and (amplitude with ( "signal to noise ratio" or SNR)) and normaliz\$5 and (truncat\$3 or boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:03
S23	33	@ad<"20000828" and decoder and ((truncat\$3 or boundar\$3 or range) with (BER or (bit adj error adj rate))) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:36
S24	0	@ad<"20000828" and decoder and (truncat\$3 with (BER or (bit adj error adj rate))) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:30
S25	17	@ad<"20000828" and decoder and (amplitude with (BER or (bit adj error adj rate))) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:31
S26	0	@ad<"20000828" and decoder and (truncat\$3 with (BER or (bit adj error adj rate))) and normaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:36
S27	188	@ad<"20000828" and (decoder with ( "signal to noise ratio" or SNR)) and decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:48
S28	371	@ad<"20000828" and (decoder same ( "signal to noise ratio" or SNR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 10:37

S29	0	@ad<"20000828" and (decoder same ( "signal to noise ratio" or SNR)) and 329/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:52
S30	0	@ad<"20000828" and decoder and ("signal to noise ratio" or SNR) and 329/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:49
S31	0	@ad<"20000828" and decoder and normaliz\$5 and 329/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:50
S32	1	@ad<"20000828" and decod\$3 and normaliz\$5 and 329/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:51
S33	0	@ad<"20000828" and (soft with limt\$3) and 329/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 09:52
S34	4	@ad<"20000828" and ("signal to noise ratio" or SNR) and 329/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:01
S35	0	@ad<"20000828" and decod\$3 and normaliz\$5 and ("signal to noise ratio" or SNR) and 340/511.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:02
S36	0	@ad<"20000828" and decod\$3 and normaliz\$5 and (("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER)) and 340/511.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:02
S37	89	@ad<"20000828" and decod\$3 and normaliz\$5 and (("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER)) and 704/222-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:05
S38	0	@ad<"20000828" and decod\$3 and normaliz\$5 and (((("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER)) with truncat\$3) and 704/222-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:06

S39	0	@ad<"20000828" and decod\$3 and normaliz\$5 and (((("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER)) with truncat\$3) and 704/222-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:06
S40	0	@ad<"20000828" and decod\$3 and normaliz\$5 and (((("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER)) same truncat\$3) and 704/222-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:08
S41	1	@ad<"20000828" and (decod\$3 same normaliz\$5 same (("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER))) and 704/222-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:20
S42	89	@ad<"20000828" and decod\$3 and normaliz\$5 and (("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER)) and 704/222-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:22
S43	13	@ad<"20000828" and normaliz\$5 and (decod\$3 with (("signal to noise ratio" or SNR) or ((bit adj error adj rate) or BER))) and 704/222-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 10:23